WEEKLY SUBLARY REPORT OF COLMUNICABLE DISEASES IN JAPAN WHIK INDING 27 APRIL 1946

(C) Current cases, plus delayed reports.

(T) Total cases for year

to date.

PREFECTURE	DIPHT (C)	CHERIA	DYSER (C)	VTERY (T)	- EPID		PAR TYPH (C)		SCARI FEVI		SMAI	LPOX (T)	TYPH (C)	OID (T)	EPIDE TYPE (C)	
HOKKAIDO AOMORI IWATE MIYAGI AKITA YAMAGATA FUKUSHIMA IBARAKI TOCHIGI GUMMA SAITAMA CHIBA TOKYO KAWAGAWA MIIGATA TOYAMA ISHIKAWA FUKUI YAMAWASHI NAGAMO GIFU SHIZUOKA AICHI MIE SEIGA KYOTO OSAKA	79 12 14 21 13 30 31 10 10 12 17 43 14 30 10 MR 5 3 11 15 22 39 30 14 28 14	1304 300 263 391 368 429 475 190 113 406 297 1029 476 624 160 444 160 64 277 2691 9326 328 561 577	2 1 - 2 2 1 5 1 1 5 - 1 2 8 R 3 1 1 1 7 2 1 - 1 3	30 19 11 7 21 10 36 25 22 23 13 48 9 11 7 31 33 9 57 35 37 35	12151132-1211-1RR11-32	92 29 14 33 11 19 10 9 12 4 9 11 14 19 14 16 16 7 15 6 19 14	3 - 4 - 14 3 4 5 1 4 1 5 - 3 6 2 1 2 2 1 2 - OVER)	206 321 43 55 63 63 63 63 63 63 63 63 63 63	12 	100 6 1 24 5 7 15 6 26 13 10 115 23 7 2 1 3 3 4 16 23 7 11 45 23	126 6 56 4 7 15 8 7 17 22 15 732 8 11 12 2 4 13 3 1 32 75	1724 555 444 844 588 85 171 123 51 88 190 177 1606 339 109 128 53 129 63 167 214 1138 215 149 472 2096	21 7 21 5 14 51 41 3 19 66 20 37 33 30 10 16 40 21 16 52 4	440 364 216 198 116 210 383 278 304 385 977 5014 191 81 81 82 457 457 363 457 726	70 47 14 14 15 13 11 13 11 13 11 13 11 13 11 14 15 14 15 14 15 14 15 16 16 16 16 16 16 16 16 16 16 16 16 16	865 670 44. 202 134 306 125 561 398 127 5547 493 57 495 60 58 905 6263

PR FEGTURE	DIPH	THERIA	DYSE	WTERY	EPID MENIN		PAI		SCAR		SPAI	LPOX	TYPI	HOID	EPIDE	
	(C)	(里)	(c)	(T)	(C)	(T)	(C)	(里)	(C)	(T)	(C)	(1)	(C)	(T)	(C)	(T)
HYOGO MARA WAKAYAMA TOTTORI SEIMANE OKAYAMA HIROSHINA YANAGUCHI TOKUSHINA KAGAWA EHIME MOCHI FUKUOKA SAGA MAGASAKI KUMAMOTO OITA HIŸAZAKI MAGOSHINA	29 19 16 26 9 19 54 6 25 24 26 51 17 28 17 28 17 21 26	745 211 289 211 361 473 615 884 267 432 470 605 860 341 357 154 262 216 316	1 2 2 3 10 2 1 3 4 1 3 2 3 46 10	21 4 3 12 10 8 119 25 17 29 16 44 8 56 8 72 41	- - - 1 2 - - - 1 MR	8 	5 	101 17 13 13 25 3 42 15 3 17 20 13 69 22 23 8 2 22 9	2 2 2 1 - - - - - - - - - - - - - - -	15 7 9 4 3 5 3 7 2 8 6 11 6 7 7 7 2 3 2	47 15 10 1 9 4 13 5 3 14 20 43 10 1 9 4 NR	1955 333 201 46 106 208 356 109 129 179 133 193 224 50 294 72 35 38 140	18 12 23 8 10 13 6 13 6 13 14 3 10 10 7	1042 213 182: 89 182: 553 435 98 191 126 115 167 306 75 156 50 32 59	164 4 10 - 8 6 15 - 4 - 59 40 - NR	2201 148 52 24 107 32 27 10 34 24 36 244 25 393 1
TOTALS	943	20,006	151	1054	33	572	148	1,761	52	625	709	14,728	786	13,369	2,341	21,229
*RATE	68.0	98	10.90		2.38		10.6	9	3.7	5	51.	19	56.	75	169.0	02
*Pate /100 000/	on nom f	on on mont	l wools	COLUMN CONTRACTOR CONT							1				and the second second second	

*Rate /100,000/ annum for current week.

Plague ; 0 .

Cholera: New cases in quarantine at Port of Uraga, (Kanagawa Prefecture) for week ending 27 April 1946 - - - 48. (Not Confirmed)

Prepared by: Public Health & Welfare Section, GRQ, SCAP, (from Japanese sources) SUMMARY REPORT OF COLJUNICABLE DISEASES IN JAPAN FOR
FOUR WE K PERIOD ENDING 27 APRIL 1946

Page I
(0) Cases
(R) Rate /100,000/Annum

PREFECTURE	DIPH	THTRIA	DYSEN	TRY	EPID HEMIN		PAR TYPR		SCARI FEVI		SLAI	LPOX	TYPE	OID	EPIDI TYPI	
	(C)	(H)	(C)-	(R)	(C)	(R)	(0)	(R)	(C)	(R)	(c)	(E)	(0)	(R) '.	(C)	(R)
HOKKAIDO	285	105.45	9	3.33	. 24	8.88	34	12.58	23	8.51	707	261.59	68	25.16	225	83.25
AOMORI	45	54.0	5	6.0	10	12.0	20	24.0	-	-	14	16.8	41	49.2	252	302.4
ETAWI	56	59.36	1	1.06	11	11.66	1	1.06	_	-	27	28.62	58	61.48	41	43.46
MIYAGI	88	78.32	3	2.67	15	13.35	12	10.68	7	6.23	37	32.93	54	48.06	87	77.43
AKITA	57	61.13	7.	7.51	9	9.65	-	garra	2	2.15	25	26.81	33	35.39	61	65.42
YAFAGATA	112	109.76	4	3.92	71	3.92	27	26.46	3	2.94	43	42.14	58	56.84	100	98.00
FUKUSHI A	105	69.83	19	12.64	13	8.65	11	7.32	1	0.67	79	52.54	136	90.44	36	23.94
IBARAKI	41	27.37	18	12.02	5	3.34	10	6.68	+	2.67	56	37-38	92	61.41	99	66.08
TOCHIGI	75	63.00	2	1.68	3	2.52	23	19.32	1	0.84	25	21.00	89	74.76	40	33.60
GUM A	25	21.00	13	10.92	1	3.36	4	3.36	8	6.72	35	29.40	56	47.04	42	35.28
SAITATA	96	60.96	14	2.54	2	1.27	25	15.88	7	4.45	77	48.90	199	126.37	292	185.42
CRIBA	43	28.38	5	3.30	3	1.98	11	7.26	6	3.96	81	53.46	113	74.58	98	04.68
TOKYO	143	53.27.	32	11.92	12	4.47	52	19.37	36	13.41	513	191.09	214	79.72	3584	1335.04
KANA GAWA	69	48.13	33	. 23.02	6	4.19	13	9.07	11	7.67	136	94.86	180	125.55	364	253.89
WIIGATA	106	57.77	14	2.18	1	0.55	19	10.36	3	1.64	48	26.16	108	58.86	51	27.80
					10000				NE DESTRU		1 3 1 3 1					

Page II EPIDEMIO RPIDINIC SCARLET PARA-PREFECTURE DIPHTHERIA DYSHATTRY MENIJGITIS TYPHOID FEVER SILLPOX TYPHOID TYPHUS (C) (R) (C) 34 46.33 62.68 1.36 6.81 46 65 88.56 17 TOYAMA 23.16 67 98.16 1.47 24.91 19 27.84 17 36 52.74 TSHIKAWA 26 46.61 3 5.38 17.93 17 30:47 34 60.95 74 25.10 10 TUNUT -_ 18.6 1 6.2 25.35 12 1.55 1.55 17 12 18.60 38 58.90 YAMAMASHI 0.67 11/1 26.95 0.61 74 8.58 9 5.51 53 32.46 55 33.69 79 48.39 NAGANO 47 35.06 1.71 3.42 6-84 2 1.71 110 34.20 70 59.85 GIFII 13 11.12 7.61 4.10 45 1.76 SHIZUOKA 90 52.65 13 26.33 3 73 42.71 119 69.62 31 18.14 7.28 0.46 6.83 AICHI 170 77.35 16 15 5 2.28 30.03 87 39.59 234 106.47 85 79.26 2 1.87 6.53 6.53 1.87 14.92 53 49.42 NIE 2 19 17.72 16 51 77.01 3.02 SHIGA 1.51 1.51 5 7.55 20 30.20 23 25 33.22 34.73 90 294 KYOTO 72.90 5.67 2.43 17 13.77 17 13.77 168 136.08 125 101.25 238.14 75 34.88 8 3.72 2 3.26 238.55 794 0.93 5 2.33 513 51 23.72 369.21 61.18 0.46 441.60 133 5 2.30 8.74 HYOGO 19 2 0.92 200 119.60 225 103.50 960 60.03 1.67 36 6 88 146.74 35.02 46 MARA 5.00 10.01 21 76.71 64 88.96 WAKAYAMA 2.78 34.75 49 2 5.56 25 68.11 30.58 TOTTORI 15 34.61 2 4-62 4.62 11.54 5 2 10 23.08 14 32.31 12 27.69 SHIMANE 79 119.29 9.06 13.59 1.51 27 40.77 140.43 2 3.02 93

PREFECTURE	DIPHT	HERIA	DYSEA	VTERY	MPID:		PAR TYPH		SCARI		SIIA	LOX	TYPH	OID	Page EPIZE TY F	er.ic
	(0)	(R)	(C)	(R)	(C)	(E)	(C)	(R)	(C)	(R)	(C)	(R)	(0)	(R)	(c)	(R)
OKAYAMA	60	49.80	5	4.15	1	0.83	1	0.83	5	4.15	71C.	33.20	80	66.40	36	29.88
HIROSHIMA	91	62.79	18	12.42	2	1.38	8	5.52	1	0.69	63	43.47	103	71.07	18	12.42
YAMAGUCHI	195	186.71	16	15.32	6	5.75	6	5.75	2	1.92	27	25.85	.26	24.90	19	18.19
TOKUSHIMA	34	52.87	2	3.11	3	4.67	1	1.56		-	42	05.31	67	104.19	7	10.89
KAGAWA	87	130.94	1	1.51	-	-	13	19.57	1	1.51	46	69.23	29	43.65	17	25.59
EHIME	95	90.73	5	4.78	-	-	2	1.91	1	0.96	73	69.72	27	25.79	10	9.55
KOCHI	115	192.63	9	15.08	1	1.68	1	1.68	2	3.35	60	100.50	37	61.98	20	33.50
FUKUOKA	167	78.91	15	7.09	6	2.84	33	15.59	2	0.95	64	30.24	89	42.05	176	83.16
SAGA	61	95.47	2	3.13	1	1.57	10	15.65		-	10	15.65	21	32.87	17	26.61
MAGASAKI	88	86.68	16	15.76	4	3.94	9	S.87	1	0.99	47	46.30	56	55.16	138	135.93
OTCMAMUX	7174	36.74	6	5.01	2	1.67	5	6.68	-	-	20	16.70	24	20.04	1	0.84
OITA	DR	-	IR	-	DR.	1	NR		N.S.	-	MR	-	MR	-	NR	-
MIYAZAKI	63	89.30	61	86.47	3	4.25	5	7.09	1	1.42	13	18.43	28	39.69	7	9.92
KAGOSHIMA	82	69.29	28	23.56		-	2	1.69		-	23	19.44	16	13.52	14	11.83
TOTALS	3,640	65.70	417	7.53	179	3.23	528	9•53	192	3.47	3,889	70.20	3,214	58.01	8,486	153.17


Plague : 0

Cholera: 1 Kanagawa Prefecture

1 Yagoshima Prefecture

*Note: Cholera Cases in quarantine at Port of Uraga (Kanagawa Frefecture),195 Confirmed.

Prepared by: Public Health & Welfare Section, GHQ, SCAP, (from Japanese sources.)



VENERALY SUMMARY REPORT OF VENERAL DISEASES IN JAPAN VENERAL DISEASES IN JAPAN

-			
1			
	03	for	
	42	0	
משמש	reports	4-1	
0	0		0
2	0	00	+
Q	e.	0	de te.
)	1	67	O
	-	ceses	0
4	.00	0	40
7	7	-1	4
4	C.	(7)	2
ì	-	1	0
3	0	0	Œ
OUT TOTA	delayed	Total	Vear
			110
-		(I)	
0		H	
1		~	

PREFECTURE	CHANCROID	CIO	GON	GONORREDA	SYP	SYPHILIS
	(0)	(H)	(0)	(I)	(0)	(L)
FOXTAIDO	36	158	147	643	56	284
AOMORI	20	133	റ വ	456	50 11	178
MIYLGI	1 2	7 60	ס נג	108	C (0	2000
AKITA	. 13	3.9	11	354	7 (217
Y-MACATA	CV.	20	21	246	21	210
FUNTSHIMA	6 0	144	84.	418	000	572
TOURTET	0 -	0 %	7 7	000	00	503
GUMAA	-1 co	00 1-	35	474	9	1 co
SAITAMA	11	151	50	1012	22	460
CHILA	0	133	47	941	177	361
TOXTO	17	179	. 63	813	47	494
KANAGATA	<u>ග</u>	986	00 0	2398	20	1075
TOYAMA	v 1	20 0	4, 5	110	52 4	78
ISHIMANA	14	122	49	200	102	598
FUKUI		15	٢	17	1	8
LAMAN ASHI	٠ ١	69	13	294	4	123
O SECTION OF THE PERSON OF THE	- L	0 00	4 6	311	12	23.5
2.10.01HS	0 5	00 00 00 00 00 00 00 00 00 00 00 00 00	27 0	288 0 V L L	000	114
AICHI	- 63	511	158	2197	20	1533
TIES .	2	82	38	529	6	186
SHIGH	00	93	23	266	9	94
ZYOFO OT T	0 0	302	73	666	0	161
AND CONTRACTOR OF CONTRACTOR O	28	441	242	1691	2000	755
CBO14	0 1 0 2 2	010	14.0	0000) O K	מ מים
TATATAMA	34	180	10	248	S C	205
TOTTORI	·	23		81)	35
S-IMAIL	-1	56	14	208	29	457
OT YAMA	10	127	35	373	79	345
HIROSHIM	വ	138	13	739	10	300
TAMAGUCET	٦.	98	13	326	20 (208
TO USE IMA	4 0	333	9 2	106	300	125
に	0 4	1 1C	3 6	762	222	2000
IHOO.	· (1)	68	200	167	16	94
PUTTOKA	65.	933	219	2763	178	2140
SAGA	固	142	H	832	IR	965
ACASAKI	13	323	141	1892	54	957
COMPANOTO	رم ا	22 1	27	290	15	246
WIVE ART	57	200	75	1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Z Z	242 Cac
TA-OSHIMA	0	30	797	138	14	47
O TABOR		000		0	ר/ר ר	000 21
CUATOL	020	0,800	2,010	מואי אפא	1.71.1	10,020
*2473	37.98		145.12	CZ.	82.38	œ

*Rate 100,000/ engin for current week.

Prepared by: Public Fealth & Welfare Section, GEG, SCAP.